


## **ASSEMBLY DRAWING**


**SCALE 1:75** 



# **TYPICAL TOWER W1000F/H18**


### **SECTION 1-1**

SCALE 1:20



## **SECTION 2-2**

**SCALE 1:20** 



#### NOTES:

- 1. Typical tower construction M1000F/H18
- 2. Aluminum alloy: EN AW-6005A T6
- 3. Connections: fillet welded with TIG (GTAW) argon methode by the requirements of ISO 3834-2
- 4. Characteristic wind speed: V<sub>k</sub>=22m/s
- 5. Terrain category: II
- 6. Reliability class: II
- 7. Ice density: 700kg/m<sup>3</sup>
- 8. Ice thickness: 2,0cm
- 9. Equipment total weight limit on the tower: 100kg
- 10.Equipment area on the tower:
  - S=0,5m<sup>2</sup> at the top of the tower
- 11. Tower weigth (with ladder): 134kg
- 12. Tower must be set under construction law
- 13. Construction on which tower will be located must be able to transfer reactions
- 14. Lead assembly with wind speed not more than 5m/s

Manufacturer:	RETIS WWW.RETIS.PL WWW.MASZTY-RETIS.PL			
Investment:	SERIE	S OF ALUMINUM LATTI	CE TOWERS - TYPE- 100	0F
Drawing title:	PICAL TO	OWER W1000F/H18 - AS	SSEMBLY DRAWING + SE	CTIONS
Date: 02.2013		Phase: typical project	Project No.: RETIS W1000F	Revision:
Industry: construction		Project No.: RETIS_KK_W1000F_H18		